Desktop mode: 1920*1080, 60Hz

Color format: RGM Color space: SDR

Design software: Adobe photoshop

CATALOGUE

SPC FLOORING
LVT FLOORING



2026

SPC Flooring Structure



UV Coating

UV scratch resistance, anti-fouling,
UV coating 15 grams per square meter.

Wear Layer

Durable not easy to scratch and wear

Decor Film

Various styles are available

SPC Core

100% vrigin material

Sound absorption pad (customized IXPE)

Anti-noise and anti-shock, IXPE with
15 times the density

SPC Flooring Specifications

935mm



150mm

1220mm



180mm

01 Wear Layer：0.2mm/0.3mm/0.5mm

02 Thickness：4.0mm/5.0mm/6.0mm/8.0mm



STAIN RESISTANCE



100% WATERPROOF



ECO FRIENDLY



SCRATCH RESISTANT



CIGARETTE BURN RESISTANCE



ANTI SLIP



FIRE PREVENTION



ZERO FORMALDEHYDE



EASY INSTALLATION

SPC Flooring Structure



UV Coating

UV scratch resistance, anti-fouling,
UV coating 15 grams per square meter.

Wear Layer

Durable not easy to scratch and wear

Decor Film

Various styles are available

SPC Core

100% vrigin material

Sound absorption pad (customized IXPE)

Anti-noise and anti-shock, IXPE with
15 times the density

SPC Flooring Specifications

935mm



150mm

1220mm



180mm

01 Wear Layer：0.2mm/0.3mm/0.5mm

02 Thickness：4.0mm/5.0mm/6.0mm/8.0mm



STAIN RESISTANCE



100% WATERPROOF



ECO FRIENDLY



SCRATCH RESISTANT



CIGARETTE BURN RESISTANCE



ANTI SLIP



FIRE PREVENTION



ZERO FORMALDEHYDE



EASY INSTALLATION



SCENE MATCHING

MODEL NUMBER / HD830









Inventory Specifications

01 Size：1220mm*180mm

02 Thickness：4.0mm

Inventory Colors



Inventory Colors



HD812



HD813



HD815



HD818







HD819



HD823



HD826



HD827



HD829

Inventory Colors



HD828



HD829



HD830



HD831



HD831



SCENE MATCHING

MODEL NUMBER / G402









Inventory Specifications

01 Size：1220mm*180mm

02 Thickness：4.0mm

Inventory Colors



Inventory Colors



G406

G408

G409

G410







G411

G412

G413

G415



SCENE MATCHING

MODEL NUMBER / D12









Inventory Specifications

01 **Size：1220mm*180mm** Thickness：5.0mm

*Minimum order quantity within 15 days of delivery

*Orders can be placed directly

Inventory Colors





Inventory Colors







SCENE MATCHING

MODEL NUMBER / K909









Inventory Specifications

01 **Size：1220mm*180mm** Thickness：6.0mm



Inventory Colors







K913

Inventory Colors



K909

K910


K911

K912

K913


K915

LVT flooring specifications (self-adhesive)



- WEARLAYER: 0.07mm
- THICKNESS: 1.6mm/1.8mm/2.0mm

Layered diagram





SCENE MATCHING

LVT is defined as a semi-rigid polyvinyl chloride block floor under nation standards.

MODEL NUMBER / WD3060





WOOD GRAIN SERIES



WD3029

WD3033

WD3060







WD3015

WD3003

WD3023

WD3017



WOOD GRAIN SERIES



WD3008



WD3080

WD3028




WD3096



WD3102



WD3059



WD3093



WD3101



WD3037



WD3089



WD3103



WD3105

WD3082



WD3101



WD3062





UA6273



UA6283



UA6262



UA6278



UA6269



UA6296



UA6313



UA6284



UA6280



UA6295



WOOD GRAIN SERIES


UA6277


UA6282


UA6312


UA6311


UA6315


UA6315

MARBLE STONE DECORATED

01 Size:457.2*457.2mm

02 Wear Layer：0.01mm
Thickness：2.0mm/2.5mm/3.0mm



MODEL NUMBER / SA7061









STONE PATTERN SERIES




ST1035



ST1033



ST1037



ST1036



ST1031



ST1023



ST1032



ST1026








ST1038



ST1021



SA7061



SA7063



SA7060



SA7068


CARPET EFFECT DISPLAY

01 Size:457.2*457.2mm

02 Wear Layer：0.01mm
Thickness：2.0mm/2.5mm/3.0mm



MODEL NUMBER / CP2022









CARPET PATTERN SERIES



CP2035



CP2031



CP2036



CP2033



CP2011



CP2022




CP2023



CP2025

CARPET SERIES



CP2020



CP2028



CP2037



CP2038



CP2039

PVC flooring is available in both strips and tiles.Because it allows for a variety of colors and patterns, floors can be installed in the design of your choice. It is for good reason that PVC floors are so very popular nowadays.



Product advantages


Environmental Friendly:
Safe & sustainable, say goodbye to formaldehyde.

Natural Look and Feel :
SPC click lock flooring offers various colours andpatterns.
A best wood substitute with softer touchand feel when you walk on it and patternsinspired by wood.

Easy Maintenance :
The floors have a protected uv coating which makesthe floors easy to clean and protects it from daily usageMaking it a worry free maintenance product.

Water-Resistance:
SPC flooring material composition is waterand termite resistant. It maintains thermal insulation athome and withstands wet/dry shoe stains

Application Places



High Quality Product
One stop solution with Globalquality products.

Managed by Professional
Manage your project with our expertengineers. Easy installations, skilled labours.

Support at Design stage
Start to finish' support to overcomeall the challenges.

TechnicalService
Stay worry-free with Globalquality products and serviceas we provide end to endtechnical support

Installation Cases











